

DuPont Agricultural Products

"..... A Growing Partnership With Nature"

SPECIAL LOCAL NEED 24(C) LABELING

VELPAR® L HERBICIDE FOR WEED CONTROL IN FORAGE ALFALFA IN THE STATE OF MONTANA

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MONTANA

VELPAR® L HERBICIDE

(EPA Reg. No. 352 - 392)

FOR WEED CONTROL IN FORAGE ALFALFA IN THE STATE OF MONTANA

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

HOW TO USE

Make a single application after alfalfa becomes dormant in the fall but before new growth begins in the spring.

For fall applications, use DuPont VELPAR L impregnated on fertilizer or as a direct spray on dormant alfalfa.

For winter or early spring applications on dormant alfalfa, only use VELPAR L when it is impregnated on fertilizer.

Best results are obtained with 0.5" to 1" of rainfall or sprinkler irrigation occurs within two weeks after application, when soil is moist at time of application, and when weeds have not germinated or are less than 2" tall or across.

Since the effect of VELPAR L on alfalfa varies with soil conditions, uniformity of application, and environmental conditions, it is suggested that growers limit their first use to small areas.

Treat only stands of alfalfa established for one year or one growing season or more (greater than 13 months) provided the alfalfa root system is well established and the crop is healthy, vigorous, and not under stress from weather conditions, insects, or disease damage. Do not use on seedling alfalfa, alfalfa/grass mixtures, or other mixed stands.

At elevations above 4,000 ft., do not use VELPAR L on alfalfa that has been established with a cover or nurse crop until the alfalfa has gone through two summer growing seasons.

Use Rates

Soil Texture	VELPAR L (Pints/Acre)
Coarse Loamy sand, Sandy loam	2-3
Medium Loam, silt loam, Silt, clay loam, Sandy clay loam	3-4
Fine Silty clay loam, Sandy clay, Silty clay, clay	3-4

IMPORTANT

Do not apply VELPAR L on snow-covered or frozen ground.

Do not use on gravelly or rocky soils, exposed subsoils, hardpan, sand, poorly drained or alkali soils.

Do not apply to soils with less than 1.5% organic matter.

Crop injury, including mortality, may result in fields having restricted root growth due to non-uniform soil profiles such as gravel bases, hardpans, and clay lenses.

For dormant alfalfa where weeds have emerged, use a surfactant approved for use on crops (such as X-77) at 1 qt/100 gallons spray solution.

Notes:

Apply to alfalfa used for forage only.

Apply only to stands of alfalfa established for one year or one growing season.

Annual bluegrass	London rocket
Annual ryegrass	Miners lettuce
Blue mustard	Prickly lettuce*
Cheatgrass (downy brome)	Purslane speedwell
Common chickweed	Quackgrass*
Common dandelion*	Salsify
Common groundsel	Seedling foxtail barley
Dogfennel (mayweed)	Seedling orchardgrass
English catchfly	Shepherd's-purse
Fiddleneck (tarweed)	Spurry
Field pennycress	Tansymustard
Filaree	Wild radish
Flixweed	Yellow rocket
Foxtail*	
Henbit*	
Ivyleaf speedwell	
Jim Hill mustard	

WEEDS CONTROLLED

VELPAR L, when applied preemergence or early postemergence to the weeds at the rates specified (see Use Rates), will control the following species:

*Partial control of these weeds is observed with VELPAR L (suppression or observable reduction in weed competition as compared to an untreated area. Degree of partial control can vary with soil type, environmental factors, and size of weeds at the time of application).

IMPORTANT

BEFORE USING "VELPAR" L, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

R-043 120699 9-28-00

Expires 12/2004

(Replaces H-59328)